

2007 ADR regulated goods

The practical guide



Contents

I – Introduction to Eurotunnel's Policy for ADR regulated goods

II – Definition of terms used

III – List of ADR regulated goods accepted

Class 1:	Explosive substances and articles
Class 2:	Gases: compressed, liquefied or dissolved under pressure
Class 3:	Flammable liquids
Class 4.1:	Flammable solids
Class 4.2:	Substances liable to spontaneous combustion
Class 4.3:	Substances which in contact with water emit flammable gases
Class 5.1:	Oxidizing substances
Class 5.2:	Organic peroxides
Class 6.1:	Toxic substances
Class 6.2:	Infectious substances
Class 7:	Radioactive materials
Class 8:	Corrosive substances
Class 9:	Miscellaneous dangerous substances and articles

IV – What to do on arrival at the Freight Terminal

V – Eurotunnel contact details

I – Introduction to Eurotunnel's policy for ADR regulated goods

The Channel Tunnel has been designed to be one of the safest transport systems known to date.

Eurotunnel's policy on the carriage of ADR regulated goods is therefore designed to ensure the safety of its customers and staff, and the integrity of the Tunnel. This policy has been produced in close collaboration with industry and with relevant trade and professional bodies.

The carriage of goods classified as hazardous through the Channel Tunnel must comply with ADR (European Agreement concerning the International Carriage of Dangerous Goods by Road). ADR regulated goods definitions are subject to the 2007 revision of the ADR regulations. Declarations have to be made using the 2007 ADR revisions from 1st July 2007.

Eurotunnel Freight will accept, restrict or refuse goods on the basis of ADR definitions. This ADR regulated goods policy has been decreed by a By-Law in the UK and an Arrêté Ministériel in France and forms an integral part of Eurotunnel's Conditions of Carriage.

The carriage of Dangerous Goods must also comply with Eurotunnel's own regulations as described in this document, which are more stringent than those in ADR, to reflect the specific safety characteristics of the Channel Tunnel infrastructure.

The carrier is responsible for ensuring that the goods he is carrying comply with these regulations. Furthermore it is also the carrier's responsibility to provide the compulsory documentation, including for vehicles travelling under the provisions of ADR chapter 1.1.3.6. Goods, which are transported under the conditions (packaging, weight, etc.) as laid down in ADR chapter 3.4, are authorised for transit via the Eurotunnel Freight service, under the terms of ADR.

Eurotunnel Freight reserves the right to authorise or refuse carriage of ADR regulated goods via Eurotunnel Freight, irrespective of their type, origin and / or destination.

II – Definition of terms used

Some of the specific terminology and expressions used in the Eurotunnel Freight policy for ADR regulated goods are defined below.

Transport unit:

A transport unit is:

- a lorry or a trailer;
- a container or swap body;

A lorry with a coupled trailer represents two units of transport.

In the case of a lorry with trailer, carrying two containers, then each container represents a separate transport unit.

Wherever the term “transport unit” is used in this document, it shall be construed as a “transport unit” as defined above.

Unit package:

The maximum volume of a particular product carried in one and the same receptacle for transit through the Channel Tunnel.

Quantities:

The quantities of goods are divided into three categories:

* ***Carried with no restriction on quantity***

* ***Carried subject to restriction on quantity:***

- **Product may be carried in unit packages of 250 litres or 400 kilograms:**

No restriction on the quantity carried per unit of transport but must be in unit packages of 250l or 400kg maximum.

- **Maximum quantity per transport unit:**

Carriage is restricted to a maximum of 250 litres (if liquid) or 400 kilograms (if solid) per transport unit. The number of packages and their volume is unrestricted provided that the overall 250l or 400kg limit per transport unit is not exceeded.

If several products of the same class in any one transport unit fall into the same category, the sum of all their quantities is limited to 250l (for liquids) or 400kg (for solids) per transport unit.

- **Other maximum quantities allowed:**

The authorised limit in is net kilograms per transport unit unless otherwise indicated.

* ***Not permitted***

It should be noted that this document only describes those substances accepted for carriage, with or without restrictions (see section III of this guide). Other goods, classified as hazardous under ADR are not accepted for transit via Eurotunnel Freight.

Empty Containers:

Eurotunnel Freight will accept, without restriction, the carriage of empty containers, which would have been accepted when full. Containers, which would not have been accepted for carriage when full, must be cleaned and an “ad-hoc” certificate to this effect submitted before carriage can be authorised.

III – List of ADR regulated goods accepted

The following list details those ADR regulated goods authorised for transit via Eurotunnel Freight by their ADR Class, UN Number and packing group. Restrictions are stated where applicable.

Please note that ADR regulated goods that do not appear in this list are not authorised for transit via Eurotunnel Freight.

ADR regulated goods that are required to carry two or more danger labels (labels 1 to 9) are not authorised for transit via Eurotunnel Freight, regardless of their quantity, with the exception of goods specified under Class 2.

ADR - Class 1: Explosive substances and articles			
UN Number	Packing Group	Classification Code	Restriction
0012	n/a	1.4S	<p>Quantity accepted for carriage restricted to 15kg of net explosive substance per transport unit</p> <p>(15kg of substance not of explosive articles)</p> <p>Net = not including packaging</p>
0014			
0044			
0055			
0070			
0105			
0110			
0131			
0173			
0174			
0193			
0323			
0337			
0345			
0349			
0366			
0367			
0368			
0373			
0376			
0384			
0404			
0405			
0432			
0441			
0445			
0454			
0455			
0456			
0460			
0500			

Substances and articles of Class 1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 2: Gases: compressed, liquefied or dissolved under pressure					
UN Number	Packing Group	Classification Code	Restriction		
1002	n/a	1A	No restriction		
1006					
1009					
1013					
1018					
1020					
1021					
1022					
1028					
1029					
1044		6A			
1046		1A			
1056					
1057		6F		Quantity accepted for carriage restricted to a maximum of 2 pallets or 1500kg gross weight per transport unit	
1058		2A	No restriction		
1065		1A			
1066					
1070		2O	No restriction, but in cylinders only		
1072		1O			
1078		2A	No restriction		
1080					
1858					
1913				3A	
1950				5A	
1950				5C	Quantity accepted for carriage restricted to a maximum of 2 pallets or 1500kg gross weight per transport unit
1950				5F	
1950				5O	
1950				5T	
1951				3A	
1952		2A	No restriction		
1956		1A			
1958		2A			
1963		3A			
1968		2A			
1970	3A				
1973	2A				
1974					
1976	3A				
1977					
1982	2A				
1983					
1984					
2036	5A				
2037					

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 2: Gases: compressed, liquefied or dissolved under pressure			
UN Number	Packing Group	Classification Code	Restriction
2037	n/a	5F	Quantity accepted for carriage restricted to a maximum of 2 pallets or 1500kg gross weight per transport unit
2037		5O	
2037		5T	
2187		3A	No restriction
2193		2A	
2422			
2424			
2451		2O	
2591		3A	No restriction
2599		2A	
2602		6A	
2857			
3070			
3136		3A	
3150		6F	Quantity accepted for carriage restricted to a maximum of 2 pallets or 1500kg gross weight per transport unit
3156		1O	No restriction, but in cylinders only
3157		2O	
3158		3A	No restriction
3159		2A	
3163		6A	
3164			
3167			
3169		7T	
3220		2A	
3296			
3297			
3298			
3299			
3337			
3338			
3339			
3340			

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 3: Flammable liquids			
UN Number	Packing Group	Classification Code	Restriction
1088	II	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
1090			
1091			
1104	III		
1105	II		
1105	III		
1107	II		
1109	III		
1110			
1111	II		
1112	III		
1113	II		
1114			
1120			
1120	III		
1123	II		
1123	III		
1126	II		
1127			
1128			
1129			
1130	III		
1133	II		
1133	III		
1134			
1136	II		
1136	III		
1139	II		
1139	III		
1145	II		
1146			
1147	III		
1148	II		
1148	III		
1149			
1150	II		
1152	III		
1153	II		
1153	III		
1156	II		
1157	III		
1159	II		
1161			
1164			
1165			
1166			
1169			
1169	III		
1170	II		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 3: Flammable liquids			
UN Number	Packing Group	Classification Code	Restriction
1170	III	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
1171			
1172			
1173	II		
1175			
1176			
1177	III		
1178	II		
1179			
1180	III		
1188			
1189			
1190	II		
1191	III		
1192			
1193	II		
1195			
1197			
1197	III		
1201	II		
1201	III		
1202			
1203	II		
1204			
1206			
1207	III		
1208	II		
1210			
1210	III		
1212			
1213	II		
1216			
1219			
1220			
1222			
1223	III		
1224	II		
1224			
1229	III		
1231	II		
1233	III		
1234	II		
1237			
1245			
1246			
1247			
1248			
1249			
1261			
		D	
		F1	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 3: Flammable liquids			
UN Number	Packing Group	Classification Code	Restriction
1262	II	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
1263			
1263	III		
1264			
1265	II		
1266			
1266	III		
1267	II		
1267	III		
1268	II		
1268	III		
1272			
1274	II		
1274	III		
1275	II		
1276			
1278			
1279			
1281			
1282			
1286			
1286			
1287	II		
1287	III		
1288	II		
1288	III		
1292			
1293	II		
1293	III		
1294	II		
1299	III		
1300	II		
1300	III		
1301	II		
1304			
1306			
1306	III		
1307	II		
1307	III		
1308	II		
1308	III		
1648	II		
1862			
1863			
1863	III		
1865	II		
1866			
1866	III		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 3: Flammable liquids			
UN Number	Packing Group	Classification Code	Restriction
1914	III	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
1915			
1917	II		
1918	III		
1919	II		
1920	III		
1987	II		
1987	III		
1989	II		
1989	III		
1993	II		
1993	III		
1999	II		
1999	III		
2045	II		
2046	III		
2047	II		
2047	III		
2048			
2049			
2050	II		
2052	III		
2053			
2055			
2056	II		
2057	III		
2058	II		
2059	III	D	
2059			
2219	III	F1	
2222			
2227			
2234			
2238			
2241	II		
2242			
2243	III		
2244			
2245			
2246	II		
2247	III		
2251	II		
2252			
2256			
2263			
2265	III		
2271			
2275			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 3: Flammable liquids			
UN Number	Packing Group	Classification Code	Restriction
2277	II	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
2278			
2282	III		
2283			
2286			
2287	II		
2288			
2293	III		
2296	II		
2297	III		
2298	II		
2301			
2302	III		
2303			
2309	II		
2313	III		
2319			
2323			
2324			
2325			
2329			
2330			
2332			
2338	II		
2339			
2340	III		
2341			
2342	II		
2343			
2344	III		
2344			
2345	II		
2346			
2347	III		
2348			
2350	II		
2351			
2351	III		
2352	II		
2358			
2362	III		
2364			
2366			
2367	II		
2368	III		
2370	II		
2372			
2373			
2374			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 3: Flammable liquids			
UN Number	Packing Group	Classification Code	Restriction
2375	II	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
2376			
2377			
2380			
2381			
2384			
2385			
2387			
2388			
2390			
2391			
2392			
2393	II		
2394	III		
2397	II		
2398			
2400			
2402			
2403	III		
2405			
2406	II		
2409			
2410			
2412			
2413	III		
2414	II		
2416			
2436			
2457			
2458			
2460			
2461			
2498	III		
2514			
2520			
2524			
2527			
2528			
2536	II		
2541	III		
2554	II		
2560	III		
2607			
2608			
2612	II		
2614	III		
2615	II		
2616			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 3: Flammable liquids			
UN Number	Packing Group	Classification Code	Restriction
2616	III	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
2617			
2618			
2620			
2621			
2707	II		
2707	III		
2709			
2710			
2752			
2838	II		
2840	III		
2842			
2850			
2933			
2934			
2935			
2943			
2947			
3022	II		
3054	III		
3056			
3065	II		
3065	III		
3092			
3269	II		
3269	III		
3271	II		
3271	III		
3272	II		
3272	III		
3295	II		
3295	III		
3336	II		
3336	III		
3371	II		
3473	n/a		

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 4.1: Flammable solids				
UN Number	Packing Group	Classification Code	Restriction	
1309	II	F3	No restriction	
1309	III	F1		
1312		F3		
1313				
1314				
1318				
1323		II		F1
1324	III			
1325	II			
1325	III	F3		
1326	II			
1328	III	F1		
1330		F3		
1331		F1		
1332		F3		
1333	II	F1		Quantity accepted for carriage restricted to a maximum of 8t per transport unit
1334	III	F3		
1338	II	F1		No restriction
1339		F3		
1341		F1	Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
1343				
1345	III	F3	Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
1346	F1			
1350	II	F1	No restriction	
1352	III	F3		
1353	II	F1		
1358	III	F3		
1869		F1		
1944		F3		
1945		F1		
2000		F1		
2001		F3		
2213		F1		
2254		F3		
2538		F1		
2623		F3		
2687	II	F1	Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
2714	III	F3		
2715	II	F1	No restriction	
2717		F3		
2858		F1		
2878		F3		
2956	SR1	F3	Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
2989	II			
2989	III			
3089	II	SR1	No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 4.1: Flammable solids			
UN Number	Packing Group	Classification Code	Restriction
3089	III	F3	No restriction
3178	II		Quantity accepted for carriage restricted to a maximum of 8t per transport unit
3178	III		
3181	II		No restriction
3181	III		
3182			
3241			
3242	II	SR1	Quantity accepted for carriage restricted to a maximum of 400kg per transport unit
3251	III	F1	No restriction
3270	II		

Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 4.2: Substances liable to spontaneous combustion

No substances or articles of this Class will be accepted for carriage
via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 4.3: Substances which in contact with water emit flammable gases

No substances of this Class will be accepted for carriage via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 5.1: Oxidizing substances			
UN Number	Packing Group	Classification Code	Restriction
1438	III	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1444			
1450	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1451	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1452	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1454	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1455	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1456			
1457			
1458			
1458	III		
1459	II		
1459	III		
1461	II		
1465	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1466			
1467			
1471	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1472			
1473			
1474	III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1475	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1476			
1477		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1477	III		
1479	II		
1479	III		
1481	II		
1481	III	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 5.1: Oxidizing substances				
UN Number	Packing Group	Classification Code	Restriction	
1482	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1482	III			
1483	II			
1483	III			
1484	II			
1485				
1486	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1487	II		Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1488			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1489			III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1490				
1492			III	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1493	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1494			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1495			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1498	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1499				
1502	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1503				
1505	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1506	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1507	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1508	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1509		Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum		
1512		Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 5.1: Oxidizing substances			
UN Number	Packing Group	Classification Code	Restriction
1513	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1514			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1515			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1516			
1748			
1748			
2208			
2427	II	O1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2427	III		
2428	II		
2428	III		
2429	II		
2429	III		
2465	II		
2468		Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2469	III	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2627	II	Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2720	III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2721	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2722	III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2723	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2724	III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2725		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2726		Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 5.1: Oxidizing substances			
UN Number	Packing Group	Classification Code	Restriction
2728	III	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2880	II		
2880	III	O1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3139			
3210	II		
3210	III		
3211	II		
3211	III		
3212	II		
3213			
3213	III	O1	
3214	II		
3215	III	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3216			
3218	II	O1	Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3218	III		
3219	II		
3219	III		
3247	II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3356			
3377	III		
3378	II	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3378	III		
3407	II	O1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3407	III		

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 5.2: Organic peroxides

No substances or articles of this Class will be accepted for carriage
via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
1544	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1544	III		No restriction
1547	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1548	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1549		T5	No restriction
1550			
1551			
1564	II		
1564	III		No restriction
1577	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1578		T2	
1579		III	
1583	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1583	III		No restriction
1590	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1591	III		No restriction
1593			
1594	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1596		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1597			
1597	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1598	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1599			
1599	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
1601	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1601	III		No restriction
1602	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1602	III		No restriction
1611	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1616	III	T5	No restriction
1650	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1651			
1652			
1654		T1	
1655		T2	
1655	III		No restriction
1656	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1656	III		No restriction
1657	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1658		T1	
1658		III	
1659	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1661			
1662		T1	
1663	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1664	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1665			
1669		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1671			
1673	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1690		T5	No restriction
1693	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1697		T2	
1701		T1	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
1702	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1704		T2	
1708		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1709	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1710			No restriction
1711	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1812	III	T5	No restriction
1843	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1846		T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1851			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1851		III	
1884		T5	
1885	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1886		T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1887	III		No restriction
1888			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1891	II		
1897	III		No restriction
2016	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2018			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2019		T1	
2020	III	T2	No restriction
2021		T1	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances				
UN Number	Packing Group	Classification Code	Restriction	
2038	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2074	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2075	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2077	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2078	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2205	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2206	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2206	III		No restriction	
2224	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2233	III		T2	No restriction
2235				
2236	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2237	III	T2	No restriction	
2239				
2250	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2253		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2261		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2272	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2273				
2274				
2279				No restriction
2281	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
2290		T1	No restriction
2291		T5	
2294	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2299			No restriction
2300	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
2306	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2307			
2311	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2321			No restriction
2322	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2328	III		No restriction
2431			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2432		No restriction	
2433		No restriction	
2446		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2470	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2474			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2490			No restriction
2501	III	T5	No restriction
2501		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2504			No restriction
2505			No restriction
2512	III	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2515		T2	No restriction
2516		T1	No restriction
2518		T2	No restriction
2522	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2525	III		No restriction
2533			No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
2542	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2552		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2567			
2570			
2570		III	
2572	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2574		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2587			
2588	III	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2588			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2609		T1	No restriction
2643			II
2645			
2647	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2648	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2649	T2		
2650	T1		
2651	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2653	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2655	III	T5	No restriction
2656		T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2659		T2	No restriction
2660			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2661		T1	No restriction
2664			
2667			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
2669	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2669	III		No restriction
2671	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2673			
2674	III	T5	No restriction
2688			
2689			
2690	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2713	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2716			No restriction
2729		T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2730			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2732			No restriction
2738	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2747	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2750	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2753	III	T7	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2754	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2757			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2757	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2759	II		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2759	III	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
2761	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2761	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2763	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2763	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2771	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2771	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2775	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2775	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2777	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2777	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2779	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2779	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2781	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2781	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
2783	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2783	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2785			T1
2786	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2786	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2788	II	T3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2788	III		No restriction
2810	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2810	III		No restriction
2811	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2811	III		No restriction
2821	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2821	III		No restriction
2822	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2831	III		No restriction
2839	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2849	III	T5	No restriction
2853			
2854			
2855			
2856			
2859	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2861			
2862	III		No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances				
UN Number	Packing Group	Classification Code	Restriction	
2863	II	T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2864				
2871				
2872	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2872	III		No restriction	
2873			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2874			T2	No restriction
2875				
2876				
2902				II
2902	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2931	II	T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2936		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2937			No restriction	
2941			III	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2942				
2946				
2948		II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2966			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2992			T6	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2992				III
2994	II	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
2994	III	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
2996	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2996	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2998	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2998	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3006	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3006	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3010	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3010	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3012	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3012	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3014	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3014	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3016	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3016	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
3018	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3018	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3020	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3020	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3026	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3026	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3027	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3027	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3140	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3140	III	T4	No restriction
3141			
3142	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3142	III		No restriction
3143	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3143	III		No restriction
3144	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3144	III		No restriction
3146	II	T3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3146	III		No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
3155	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3172		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3172			III
3243	II	T9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3249		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3249			III
3276	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3276	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3278	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3278	III		No restriction
3284	II		T5
3284	III	No restriction	
3285	II	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3285	III	No restriction	
3287	II	T4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3287	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3288	II	T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3288	III		T4
3293			
3302	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances				
UN Number	Packing Group	Classification Code	Restriction	
3345	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
3345	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3348	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
3348	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3349	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
3349	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3352	II	T6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
3352	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3409	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
3410	III		No restriction	
3411	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
3411	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3415			T4	No restriction
3416	II		T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3417			T2	
3418	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3422		T4	No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
3424	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3424	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3426		No restriction	
3427		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3428	II		No restriction
3429	III	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3430	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3431			T2
3434	III	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3436	II		No restriction
3437			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3438	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3439	II		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3439	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3441	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3442			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3443			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3444			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3445			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3446			No restriction
3447			Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3448		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3451	III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
3452		No restriction	
3454		No restriction	
3457		No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
3458	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3459			
3460			
3462	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3462	III		No restriction
3464	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3464	III		No restriction

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 6.2: Infectious substances			
UN Number	Packing Group	Classification Code	Restriction
3291	II	I3	No restriction
3373	n/a	I4	

Substances and articles of Class 6.2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 7: Radioactive materials			
UN Number	Packing Group	Classification Code	Restriction
2908	n/a	n/a	No restriction on this type of product.
2909			
2910			
2911			
2912			Restricted solely to non combustible solids of new manufactured goods in their original packaging.
2913			Restricted solely to new manufactured goods in their original packaging.
2915			Restricted solely to non combustible solids of new manufactured goods in their original packaging.
3321			Restricted solely to non combustible solids of new manufactured goods in their original packaging.
3322			Limited to packages of which the total active quantity expressed in A2 is less than 1.
3332			

Substances and articles of Class 7 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

The carriage of Radioactive Materials of Class 7 (listed above) is only authorised through Eurotunnel Freight with Eurotunnel's prior agreement.

Class 7 and Class 1 commodities cannot be transported together in the same transport unit.

For more information regarding both the restrictions on the carriage of Radioactive Materials and the procedure for gaining authorisation for transit via Eurotunnel Freight, please refer to section V of this guide (Eurotunnel contact details).

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 8: Corrosive substances			
UN Number	Packing Group	Classification Code	Restriction
1716	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1718	III		No restriction
1719	II		
1719	III		
1725	II	C2	
1726		C3	
1728		C4	
1729		C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1730			
1731			
1731	III	No restriction	
1733	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1736		C3	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1742			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1743			
1753			
1755		III	No restriction
1757	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1757	III		No restriction
1759	II	C10	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1759	III		No restriction
1760	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1760	III		No restriction
1762	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1763			
1764			
1765			
1766		C1	
1768		C3	
1769		C10	
1770	C3		
1771	III	C2	No restriction
1773	II	C11	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1774		C1	
1775			
1776			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 8: Corrosive substances				
UN Number	Packing Group	Classification Code	Restriction	
1778	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1780		C3		
1781		C1		
1782		C1		
1783	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
1783				
1784	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1787				
1787	III		No restriction	
1788	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1788			III	No restriction
1789	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1789			III	No restriction
1791	II		C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1791				III
1792	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1793	III		No restriction	
1799	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1800				
1801				
1803				
1804				
1805	III	C1	No restriction	
1806	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1807		C1		
1808		C6		
1810		C5	No restriction	
1813				
1814		III		
1814	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1817				
1818				
1819	III	C5	No restriction	
1819				
1823	II	C6	No restriction	
1824		C5		
1824		III		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 8: Corrosive substances			
UN Number	Packing Group	Classification Code	Restriction
1825	II	C6	No restriction
1827		C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1835		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
1835	III		
1837	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1838			
1839		C4	
1840	III	C1	No restriction
1847	II	C6	
1848	III	C3	
1849	II	C6	
1898		C3	
1902	III		No restriction
1903	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1903	III		No restriction
1907			C6
1908	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1908	III		No restriction
1938	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1938	III		No restriction
1939	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1940		C3	
2028		C11	
2033		C6	No restriction
2079		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2209	III	C9	No restriction
2214		C4	
2215		C3	
2215		C4	
2225		C3	
2226	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 8: Corrosive substances			
UN Number	Packing Group	Classification Code	Restriction
2259	II	C7	Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2262		C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2269	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2280		C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2289		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2305	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2320	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2326			
2327			
2331		C2	No restriction
2430	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2430	III		No restriction
2434	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2435			
2437			
2440	III	C2	No restriction
2442	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2443		C1	
2475	III	C2	No restriction
2491		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2496 2503		C3	No restriction
2506	II	C2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2507	III		No restriction
2508			No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 8: Corrosive substances					
UN Number	Packing Group	Classification Code	Restriction		
2509	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2511	III	C3	No restriction		
2513	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2531			No restriction		
2564			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2564	III		No restriction		
2565			C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2571	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2577					
2578					
2579	III	C2	No restriction		
		C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum		
		C1	No restriction		
2580	II	C4	Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum		
2581					
2582					
2585					
2586					
2586					
2670	III	C5	No restriction		
2672	II				
2677	III				
2678	II			C6	
2679				C5	
2679	III				
2680	II			C6	
2681				C5	
2681	III				
2682	II			C6	
2691				C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2693	III			C1	No restriction
2698				C4	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 8: Corrosive substances				
UN Number	Packing Group	Classification Code	Restriction	
2705	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2735		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum	
2735	III		C7	No restriction
2739				
2751	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2790				
2790	III	C11	No restriction	
2794	n/a			
2795				
2797				
2798	II	C5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2799		C3		
2800	n/a	C11	No restriction	
2801	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2801				
2802	III	C2	No restriction	
2803		C10		
2815		C7		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
2819	III		No restriction	
2820				C3
2823				C4
2829				C3
2834				C2
2837				C1
2865				
2869		II		C2
2869				
2904	III	C9	No restriction	
2905		C10		
2949	II	C6	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2967	III	C2		
2987	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3028	n/a	C11	No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 8: Corrosive substances			
UN Number	Packing Group	Classification Code	Restriction
3055	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3066	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3066	III		No restriction
3145	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3145	III		No restriction
3147	II	C10	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3147	III		No restriction
3244	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3253	III	C6	No restriction
3259	II	C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3259	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3260	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3260	III		No restriction
3261	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3261	III		C6
3262	II		
3262	III		
3263	II	C8	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3263	III		No restriction
3264	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3264	III		No restriction
3265	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3265	III		No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR – Class 8: Corrosive substances			
UN Number	Packing Group	Classification Code	Restriction
3266	II	C5	No restriction
3266	III		
3267	II	C7	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3267	III		
3320	II	C5	No restriction
3320	III		
3412	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3412	III		
3419	II	C4	Quantity accepted for carriage restricted to a maximum of 10t per transport unit but transport must be in unit packages of 250 litres / 400kg maximum
3420			
3423		C8	
3425		C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3453	III	C2	No restriction
3472		C3	

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

ADR - Class 9: Miscellaneous dangerous substances and articles			
UN Number	Packing Group	Classification Code	Restriction
1931	III	M11	No restriction
1941			
1990			
2211		M3	
2969	II	M11	
2990	n/a	M5	
3072			
3082	III	M6	
3090	II	M4	
3091			
3245	n/a	M8	
3257	III	M9	
3258		M10	
3268		M5	
3314		M3	
3316		II	
3316	III		

Substances and articles of Class 9 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

IV – What to do on arrival at the Freight Terminal

All goods regulated under ADR must be declared to Eurotunnel Freight prior to transit.

1 – Before arrival:

At the location at which your vehicle is loaded, check that the driver is issued with all the necessary documentation for registering his goods on arrival at the Eurotunnel Freight Terminal (see item 4 below).

2 – On arrival at Eurotunnel Freight Terminal:

The driver should follow the signs from the motorway exit to the Freight Terminal and then follow the route identified to the Freight Drivers' Information Centre.

NB:

In France – The Freight Drivers' Information Centre is located BEFORE Check-in.

In the UK – Because the Control Point is located AFTER Check-In, the driver must declare at Check-in whether he is carrying ADR regulated goods. He will then be directed to the Freight Driver Centre Control Point before where the procedure described below will be followed.

3 – On arrival at the Freight Drivers' Information Centre (FDIC):

The driver should park his vehicle in one of the spaces adjacent to the FDIC building and should then report to the Customer Service Agent in the FDIC building.

4 – Documentation which will be required:

The driver must give the Customer Service Agent the documents (preferably in either English or French) carrying the information required by ADR and specifically for registration of goods by Eurotunnel Freight.

- * UN Number
- * 2007 ADR references (Class, Packing Group and Classification Code if applicable)
- * Name and description of goods carried, including their volume and weight
- * Details of packaging

You are encouraged to make sure that the information required is in the driver's possession. Accurate and complete documentation will avoid delay or rejections from the system.

5 – Checks:

The Customer Service Agent will check that the goods being carried comply with Eurotunnel Freight regulations, as set out in this handbook. He / she will then make an external examination of the vehicle.

Note – This examination has no bearing on possible Police or Customs examinations, which may take place before departure.

6 – Identification:

Once the documentation and vehicle have been checked, the Customer Service Agent will issue the driver with a label, which displays an internal reference number. The Customer Service Agent will create a file with this number as a reference.

Reference numbers will enable Eurotunnel Freight to follow the vehicle's location in the Eurotunnel freight system and hence, should the need arise, to react swiftly according to the nature of the goods being carried.

The label issued to the driver will identify the vehicle as carrying ADR regulated goods throughout its journey via Eurotunnel Freight. It will be placed on the vehicle's windscreen in a visible position and must not be removed until the vehicle has left the destination terminal at the end of its journey.

7 – Journey through the system:

Once the Customer Service Agent has authorised the transit, the driver can return to his vehicle and follow the normal route through the terminal.

If you wish to order more copies of this guide, please refer to section V.

V – Eurotunnel contact details

For further information on Eurotunnel Freight's policy for ADR regulated goods, please contact:

Eurotunnel Freight Commercial Department
UK Terminal
Ashford Road
Folkestone
Kent CT18 8XX
United Kingdom

Tel + 44 (0) 1303 282 244
Fax + 44 (0) 1303 283 500
Email freight@eurotunnel.com

Eurotunnel
Service Commercial Fret
Siège d'Exploitation
B.P. 69
62904 Coquelles Cedex
France

Tél + 33 (0) 3 21 00 64 65
Fax + 33 (0) 3 21 00 61 59
Email freight@eurotunnel.com